

SUPER ECONOMY SE2700LR





SE2700LR 2.7kVA "SE" RANGE PORTABLE PETROL GENERATOR STANDARD FEATURES

General Specifications

Range	SE
Frequency(Hz)	50
Max.Power (kVA)	2.7
Max.Power (kW)	2.2
Nominal Voltage	230 / 115
Number of phase	Single Phase
Acoustic pressure level Lw(A)	95
Noise Level dB(A) -7m	70

- Honda four stroke engine
- Noise compliant using the latest low noise engine specification
- Dual voltage output c/w overload protection
- Fully welded wrap around frame for maximum protection
- Smooth waveform brushless maintenance free alternator
- 3 Year engine warranty (Limited)



Engine Specifications

<u> </u>	
Engine trademark	Honda
Engine Type	GX160
Distribution	O.H.V
Start	Recoil
Fuel	Unleaded Petrol
Autonomy (h) @ 75% load	11.0
Consumption (L/h) @ 75%	6load 1
Tank (L) Plastic	11.0
Oil Alert /Low Oil Shutdov	wn Yes
Capacity (cm3)	163
Oil Capacity (L)	0.6

Alternator Specifications

Control Box & Sockets

Manufacturer NSM	Type Plastic Top Mounted
Model K80B	Sockets 1 x 16a 115v & 1 x 16a 230v
Type Brushless Maintenance Free	Voltage Selector Switch Yes
Regulation Mechanical	Protection Push button MCB
Protection Class IP23	
Insulation Class H	

Dimensions & Weight

Options

	-
Length (mm) 610	Single Voltage LPG Conversion
Width (mm) 420	Electric Start
Height (mm) 540	AVR (Automatic Voltage Regulator)
Dry Weight (kg) 35	

This document is not contractual- Stephill Generators Ltd reserve the right to any of the characteristics stated without notice, in a constant effort to improve the quality of its product